



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007094385

Filing Deadline: January 15, 2016

FRN: 0004972766

Filing Date: 01/12/2016 06:18 PM

### General Report Information

#### Type of Company

Service Provider

#### De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

#### Company Information

Company Name: Mobius Communications Company dba Mobius Cellular  
Brand Names: Mobius Cellular  
PO Box: 246  
Street Address: 523 Niobrara Avenue  
City: Hemingford  
State: NE  
Zip Code: 69348

Contact Name: Tonya Mayer  
Contact Phone: (308) 487-5500  
Contact Fax: (308) 487-5700  
Contact Email: tonya@bbc.net

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice

communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: <http://www.bbc.net>

Explain:

### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Training of employees on HAC related issues and the capabilities of HAC compliant phones; Have in store handouts that describe HAC compliant phones and capabilities; Have in store customer education HAC materials

### Methodology for Functionality Levels

6 most popular features considered: Data Phones, Bluetooth, MP3-Music, Water Resistant, Text Messaging, Type A GPS

Advanced: 5 or more of six features

Intermediate: 4 of six features

Basic: 3 or less of six features

### Report Remarks

---

You have reported the following handset model summary information.

Total number of handsets offered: 21

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
CDMA	16	76%	4	19%	1	5%	21

## Handset 1: Apple iPhone 4S

### Handset Maker

Apple

### Handset Model Name

iPhone 4S

### FCC ID

BCG-e2430A

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/15 to 12/15

### Ratings

M-Rating:

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Intermediate

### Remarks

## Handset 2: Apple iPhone 5

### Handset Maker

Apple

### Handset Model Name

iPhone 5

### FCC ID

BCG-E2599A

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 08/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Intermediate

### Remarks

---

## Handset 3: Apple iPhone4

### Handset Maker

Apple

### Handset Model Name

iPhone4

### FCC ID

BCG-E2422A

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Intermediate

### Remarks

---

## Handset 4: Casio Hitachi GzOne Commando

### Handset Maker

Casio Hitachi

### Handset Model Name

GzOne Commando

### FCC ID

TYKNX9320

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

### Functionality Level

Intermediate

### Remarks

## Handset 5: Casio Hitachi Ravine 2

### Handset Maker

Casio Hitachi

### Handset Model Name

Ravine 2

### FCC ID

JYC78

### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

### Dates

This handset model was offered from: 01/15 to 12/15

### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 6: HTC Incredible 2

#### Handset Maker

HTC

#### Handset Model Name

Incredible 2

#### FCC ID

NM8PG32100

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/15 to 12/15

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Intermediate

#### Remarks

---

### Handset 7: HTC Rhyme

#### Handset Maker

HTC

#### Handset Model Name

Rhyme

#### FCC ID

NM8PI46110

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Advanced

**Remarks**

---

**Handset 8: Huawei Asend Y300****Handset Maker**

Huawei

**Handset Model Name****FCC ID**

Asend Y300

QISM881

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 11/15

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Intermediate

#### Remarks

---

### Handset 9: Kyocera RIO E3100

#### Handset Maker

Kyocera

#### Handset Model Name

RIO E3100

#### FCC ID

OVF-K5402

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/15 to 11/15

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 10: LG ENLIGHTEN

#### Handset Maker

LG

#### Handset Model Name

ENLIGHTEN

#### FCC ID

BEJVS700



**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Advanced

**Remarks****Handset 11: LG LG9200****Handset Maker**

LG

**Handset Model Name****FCC ID**

LG9200	BEJVBX9200
LG9200 Env3	BEJVBX9200

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Intermediate

#### Remarks

---

### Handset 12: LG Optimus Zone

#### Handset Maker

LG

#### Handset Model Name

Optimus Zone

#### FCC ID

ZNFL38C

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/15 to 12/15

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Intermediate

#### Remarks

---

### Handset 13: LG REVERE

#### Handset Maker

LG

#### Handset Model Name

REVERE

#### FCC ID

BEJVN150

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Intermediate

**Remarks**

---

**Handset 14: Motorola V860 Barrage****Handset Maker**

Motorola

**Handset Model Name****FCC ID**

V860 Barrage

IHDT56KR1

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 15: Samsung Brightside

#### Handset Maker

Samsung

#### Handset Model Name

Brightside

#### FCC ID

A3LSCHU380

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/15 to 11/15

#### Ratings

M-Rating: M4

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 16: Samsung Chrono 2

#### Handset Maker

Samsung

#### Handset Model Name

Chrono 2

#### FCC ID

A3LSCHR270

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Advanced

**Remarks**

---

**Handset 17: Samsung CONVOY 2****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

CONVOY 2

A3LSCHU660

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 18: Samsung Convoy3

#### Handset Maker

Samsung

#### Handset Model Name

Convoy3

#### FCC ID

A3LSCHU680

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 07/15 to 12/15

#### Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Advanced

#### Remarks

---

### Handset 19: Samsung Gusto 2

#### Handset Maker

Samsung

#### Handset Model Name

Gusto 2

#### FCC ID

A3LSCHU365

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

**Functionality Level**

Intermediate

**Remarks**

---

**Handset 20: Samsung HAVEN****Handset Maker**

Samsung

**Handset Model Name****FCC ID**

HAVEN

A3LSCHU320

**Air Interfaces/Frequency Bands**

850 MHz CDMA  
1900 MHz CDMA

**Dates**

This handset model was offered from: 01/15 to 12/15

**Ratings**

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Basic

#### Remarks

---

### Handset 21: UT Starcom Blitz TXT8010

#### Handset Maker

UT Starcom

#### Handset Model Name

Blitz TXT8010

#### FCC ID

PP4ELVIS

#### Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

#### Dates

This handset model was offered from: 01/15 to 12/15

#### Ratings

M-Rating: M3

T-Rating:

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

#### Functionality Level

Intermediate

#### Remarks

---

### Certification

#### This Report has been certified by:

Tonya I Mayer General Manager  
01/12/2016 06:18 PM